

32" CLASS (31.5" DIAGONAL)

26" CLASS (26.0" DIAGONAL)

22" CLASS (21.9" DIAGONAL)

32LG3DDH

26LG3DDH

22LG3DDH

LCD TV

## Hospital Grade LCD Widescreen



## HDTV with HD-PPV Capability

DESIGNED SPECIFICALLY FOR THE HEALTHCARE INDUSTRY

UL HOSPITAL GRADE LISTED  
Built-in Pillow Speaker Port  
Built-in Card Slot (MPI™ Interface)  
Rear Speaker Disable Switch

**IMPROVED!** EXPANDED PILLOW SPEAKER COMPATIBILITY  
Supports multiple codes (Zenith, Philips, RCA)

**NEW!** EXPRESS SCRIPT  
Easy to use, 7 Step Installer  
Menu Setup Wizard

**NEW!** MPEG-2/MPEG-4 H.264 DECODING

**NEW!** SPLASH IMAGE LOGO (ON STARTUP)

**IMPROVED!** CLEAR VOICE II

DYNAMIC POWER SAVINGS

USB CLONABLE

HD VOD PPV DECRYPTION AND  
INTERACTIVE SYSTEM CAPABILITY  
Integrated Pro:Idiom®

DIGITAL HD-PPV COMPATIBILITY

BUILT-IN ATSC/NTSC/CLEAR QAM TUNER

NATIVE DISPLAY RESOLUTION  
1366 x 768 (32", 26" class)  
1680 x 1050 (22" class)

DYNAMIC CONTRAST RATIO  
12,000:1 (32", 26" class)  
3,000:1 (22" class)

STANDARD VESA™ MOUNTING INTERFACE  
200mm x 100mm (32", 26" class)  
100mm x 100mm (22" class)



ENERGY STAR® 4.2 COMPLIANT\*

CEC COMPLIANT

2 YEAR LIMITED WARRANTY  
(parts and labor)



\*ENERGY STAR 4.2 Compliant on models manufactured after April 1, 2011.

www.LG solutions.com




**LG**  
Life's Good

# XD ENGINE


SHARPER  
BRIGHTER  
CLEARER

**ULTRA CONTRAST**  
AT A BLAZINGLY FAST 370 MILLION PIXELS PER SECOND, THE PROCESSOR USES A HISTOGRAM ANALYZATION TOOL TO CLARIFY THE IMAGE DATA ACCORDING TO SIGNAL BRIGHTNESS LEVELS.



Dramatization

**DYNAMIC BLACK STRETCH**  
THE MINIMUM BLACK LEVEL OF AN IMAGE IS AUTOMATICALLY DETECTED AND ADJUSTED ACCORDING TO BRIGHTNESS.



Dramatization

# SPECIAL FEATURES

32LG3DDH (silver)  
26LG3DDH (silver)



22LG3DDH (silver)



## Pro:Idiom®

### DIGITAL RIGHTS MANAGEMENT SYSTEM

The Pro:Idiom system's high-quality security unlocks access to premium content availability to help assure rapid, broad deployment of HDTV and other high value digital content. Pro:Idiom has been designed specifically for industries that use premium HDTV content from cable, satellite or video on demand (VOD) services and as such, could result in lower costs, and reduced maintenance. This system is one of the leading DRM systems embraced by content providers for both of these key programming sources. By using this embedded approach, security is provided and helps eliminate the possibility of customers tampering with or removing needed components.

To view and to ensure proper operation of Pro:Idiom channels, additional equipment and programming services may be required.

### MPEG-4 TECHNOLOGY (Moving Picture Experts Group)

MPEG-4 decodes and delivers high-definition programming it receives via satellite. The advanced coding system is compatible with national and local HD channels, along with digital HD channels currently launched by DIRECTV. LG built this technology into its LG3DDH series TVs to deliver pure HD without the need for an external box\*.

\* Certain functions, such as Pay-Per-View, may require a set-top box.

### POWER SAVING LEVELS

By selecting lower levels of backlight settings, a reduction in power consumption is achieved resulting in energy savings and lower costs.

#### 32LG3DDH in Vivid Mode

BACKLIGHT SETTING VALUE	BRIGHTNESS (cd/m <sup>2</sup> )	* POWER CONSUMPTION (Watts)
Level 100	290 cd/m <sup>2</sup>	76Watts
90	90%**	91%**
80	83%	86%
70	74%	83%
60	67%	79%
50	61%	75%
40	53%	70%
30	51%	68%
20	46%	64%
10	34%	55%
1	26%	49%

#### 26LG3DDH in Vivid Mode

BACKLIGHT SETTING VALUE	BRIGHTNESS (cd/m <sup>2</sup> )	* POWER CONSUMPTION (Watts)
Level 100	290 (cd/m <sup>2</sup> )	61 W
90	86%**	90%**
80	77%	83%
70	69%	77%
60	61%	71%
50	53%	68%
40	49%	66%
30	44%	63%
20	40%	58%
10	32%	55%
1	23%	50%


#### 22LG3DDH in Vivid Mode

BACKLIGHT SETTING VALUE	BRIGHTNESS (cd/m <sup>2</sup> )	* POWER CONSUMPTION (Watts)
Level 100	214 cd/m <sup>2</sup>	44 Watts
90	91%**	95%**
80	81%	90%
70	74%	86%
60	65%	81%
50	58%	77%
40	51%	70%
30	46%	73%
20	39%	64%
10	29%	59%
1	21%	53%

\* Power consumption was measured using IEC62087 dynamic broadcast - content video signal  
\*\* All percentages listed are percentages based off of level 100

## CLEAR SCREEN


USING THE NOISE FILTER INSIDE THE XD ENGINE CHIP, THE IMAGE IS ANALYZED FOR TEMPORAL AND SPATIAL INFORMATION TO REDUCE MPEG NOISE.



Dramatization

## ADVANCED VIVID COLOR


COLORS THAT ARE SENSITIVE TO THE HUMAN EYE ARE OPTIMIZED TO THE NEAREST TRUE COLOR BY THE SELECTIVE COLOR CONTROL.



Dramatization

## INTELLIGENT EDGE CONTROL


EDGE LINES ARE EMPHASIZED BY IMPROVING THE TRANSITION FROM THE BACKGROUND TO THE MAIN OBJECT.



Dramatization

## CLONING OPTIONS

### USB CLONING



### TLL-1100A TVLink-Loader

By using the optional handheld, rechargeable TVLink-Loader, the installer can "clone" the Commercial Settings from one TV and then transfer this information quickly to many other TVs that have this feature.



### LT2002 CLONING PROGRAMMER REMOTE



QUICKSET II CLONE®

The optional LT2002 allows for custom setup and programming information to be quickly copied from a "master" LG or Zenith brand LCD, Plasma, or CRT TV (with the MPI input) into an unlimited number of identical models. This saves the installers hours of time duplicating the hotel TV settings, such as minimum volume, maximum volume, start up channel, channel mapping, etc.





# DIMENSIONS


### 32LG3DDH 26LG3DDH



### 22LG3DDH




### 26LG3DDH/32LG3DDH REAR



### SIDE



### 22LG3DDH REAR



32LG3DDH  
26LG3DDH  
22LG3DDH

32" CLASS (31.5" DIAGONAL)  
26" CLASS (26.0" DIAGONAL)  
22" CLASS (21.9" DIAGONAL)

# SPECIFICATIONS

## DISPLAY

LCD Panel Type	22", 26", 32" class
Display Area	21.9", 26.0", 31.5" diagonal
Aspect Ratio	16:9
Native Resolution	1680 x 1050 (22"), 1366 x 768 (26", 32")
Pixels (HxVx3)	5,292,000 (22"), 3,147,264 (26", 32")
Dynamic Contrast Ratio	3,000:1 (22"), 12,000:1 (26", 32")
Contrast Ratio	1000:1 (22"), 3,000:1 (26", 32")
Viewing Angle (Horizontal/Vertical)	160°/160° (22"), 178°/178° (26", 32")
Color Depth	8bit (16.7M)
Lamp Life	50,000 hours (approx.)
Response Time	5ms (22"), 6ms (26", 32")

## MAIN SYSTEM

MPEG Decoder	MPEG2/MPEG4 /H.264 Decoding
Maximum Computer Resolution (RGB)	1360 x 768

## VIDEO

ATSC/NTSC/QAM Clear Tuner	Yes (Built-in)
ATSC with HD-PPV	Yes (Built-in)
All Format Converter	Yes (1080p/1080i/720p/480p/480i > 1050p) (22") (1080p/1080i/720p/480p/480i > 768p) (26", 32")
Comb Filter	Yes (3D Digital)
Digital Progressive Scan	Yes
Color Temperature	Yes (Cool/Normal/Warm)
Enhanced Video	Yes
Advanced Ghost Canceler	Yes
DLTI (Digital Luminance Transient Limiter)	Yes
DCTI (Digital Color Transient Improver)	Yes
Black/Blue Stretcher	Yes
3:2 Pull-Down (film mode)	Yes
Aspect Ratio	5 Modes (16:9/Just Scan/Set By Program/4:3/Zoom)
Picture Control	Backlight/Contrast/Brightness/Sharp/Color/Tint/ Advanced
Noise Reduction	Yes
XD Engine	Yes
EZ Picture	6 Modes (Vivid/Standard/Natural/Cinema/Sport/Game)

## AUDIO

# of Speaker	2
Dolby Digital® Decoder	Yes
Mono/Stereo/SAP	Yes
Surround System	Infinite Sound
Clear Voice II	Yes
Total Audio Watts (RMS)	2 x 3W (6W) (22"), 2 x 7W (14W) (26"), 2 x 10W (20W) (32")
Bass/Treble/Balance	Yes
EZ SoundRite (Auto Volume Leveler)	Yes
EZ Sound	5 Modes (Standard, Music, Cinema, Sports, Game)
Internal Speaker on/off	Yes

## SPECIAL FEATURES

Power saving function	Backlight dimming control
USB Cloning	Yes
Integrated Pro:Idiom	Yes
OSD Type (Menu System)	EZ Menu
Express Script	Yes
Trilingual Menus	Yes (English, French, Spanish)
Commercial Installation Menu	Yes (English only)
TV Link Protocol	TV Link-Commercial (built in)
Discrete IR Codes	Yes
Real Cinema	Yes
Auto Off	Yes

Last Source Power-on Recall	Yes
Auto/Manual Clock	Yes
On/Off Timer	Yes
Sleep Timer	Yes
Auto/Manual Programming	Yes
Channel Labeling	Yes
Favorite Channel	No
Closed Caption	Analog/Digital
Mute	Yes
Flashback (Quick View)	Yes
Parental Control/V-Chip	Yes
Function Menu	Yes
Remote	Not Included

## JACKS

RF in	1 (NTSC+ATSC tuner)
A/V In	1 (Rear) (22"), 2 (Rear/Side) (26", 32")
S-Video In	No
Component & R/L Audio In	1 (Rear) (except 22")
RGB In (DB15-RGB)	1 (Rear) (except 22")
Audio in (Phone Jack)	1 (Rear: PC) (except 22")
HDMI	1 (Rear)
Speaker Out (Bathroom)	Yes (8 ohm mono 1W Phone Jack) (except 22")
Earphone Jack	Yes (Side) (26", 32"), (Front) (22")
Pillow Speaker	1 (6-pin)
Pillow Speaker Codes	Yes (Zenith/RCA/Philips)
RS-232C (Service Only)	1 (Rear)
IR In/out	1
USB	1 (Cloning and Service)
MPI Slot	1 Slot (Standard Type )

## OPTIONAL REMOTES

Installer Remote	124-213-07
Patient Remote	124-213-08
"Clone" Programmers	LT2002, TLL-1100A

## REQUIRED CERTIFICATIONS

UL, C-UL, NOM	Yes
UL Hospital Grade	Yes
Energy Efficiency	ENERGY STAR 4.2
CEC Compliant	Yes

## CABINET

Color	Silver
Power/Standby Indicator	Illuminates red in standby mode/green in on mode
Unit Dimensions (WxHxD)	31.6" x 21.4" x 4.3" (32") 26.1" x 17.6" x 4.1" (26") 20.8" x 15.3" x 3.3" (22")
Unit Weight	26.2 lbs (32") 20.95 lbs (26") 13.54 lbs (22")
Shipping Dimensions (WxHxD)	38.7" x 26.0" x 7.4" (32") 32.4" x 21.5" x 8.1" (26") 27.28" x 19.0" x 6.3" (22")
Shipping Weight	36.8 lbs (32") 26.0 lbs (26") 18.5 lbs (22")
Invisible Speakers	Yes (Built-in)
VESA™ Standard Mount Interface	200mm x 100mm, M4 screws, (26", 32") 100mm x 100mm, M4 screws, (22")
UL Hospital Grade Power Cord	Yes
Stand	Not included

## POWER

Dynamic/Static Power Savings	Yes
Power Source	110V 50/60Hz
Power Consumption (max.) with Power Saving Modes Disabled	50W (22"), 80W (26"), 100W (32")
Power Standby-by Mode (max.)	1W

## SERVICE/LIMITED WARRANTY

2 Years (Parts/Labor)	
<b>UPC CODE</b>	
32LG3DDH	7 19192 90158 2
26LG3DDH	7 19192 90157 5
22LG3DDH	7 19192 90156 8

All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2011 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics USA, Inc. Pro:Idiom is a registered trademark and MPI is a trademark of Zenith Electronics Corp. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol are registered trademarks of SRS Labs, Inc. in the U.S. and selected foreign countries. TruSurround XT is a trademark of SRS Labs, Inc. VESA is a trademark of Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.

 Printed in the USA. May 2011

www.LGolutions.com

LG Electronics U.S.A., Inc.  
Commercial Displays  
2000 Millbrook Drive  
Lincolnshire, IL 60069

Customer Service: 888.865.3026  
www.LGolutions.com/support

Contact your LG Regional Sales Representative  
Hospitality: 800.228.1236  
Vertical Markets: 800.897.8788  
Channel: 800.897.8871  
E-mail: info@LGolutions.com

SPEC\_LG3DDH\_051109\_IPR



**LG**  
Life's Good